SAFETY DATA SHEET

# AVITI Dx 2x150 Cartridge CB Freestyle High Output - Position 11

## SECTION 1: IDENTIFICATION

### 1.1. Product identifier

| | |
|---|---|
| *Trade name:* | AVITI Dx 2x150 Cartridge CB Freestyle High Output - Position 11 |
| *Product no.:* | 820-00043 |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|---|---|
| *Relevant identified uses of the substance or mixture:* | Use as laboratory reagent |
| *Uses advised against :* | All other uses not recommended above |

### 1.3. Details of the supplier of the safety data sheet

| | |
|---|---|
| *Company and address:* | **Element Biosciences, Inc.**<br>10055 Barnes Canyon Rd. Suite 100<br>92121 San Diego, CA<br>United States<br>(619) 353-0300 |
| *Contact person:* | Element Biosciences, Inc. |
| *E-mail:* | info@elembio.com |
| *SDS date:* | 2026-09-08 |
| *SDS Version:* | 1.0 |

### 1.4. Emergency telephone number

In an emergency call 911
Alberta / Northwestern Territories (PADIS): 1-800-332-1414
British Columbia (DPIC): 1-800-567-8911
Manitoba: 1-855-7POISON (1-855-776-4766)
New Brunswick: 911
Nova Scotia / Prince Edward Island (IWK): 1-800-565-8161
Ontario (OPC): 1-800-268-9017
Québec (CAPQ): 1-800-463-5060
Saskatchewan (PADIS): 1-866-454-1212
Yukon Territory: (867) 393-8700
Transport emergenices: Call CANUTEC at 1-888-CAN-UTEC (226-8832), 613-996-6666 or *666 on a cellular phone (24 hours)
See also section 4 “First aid measures”.

## SECTION 2: HAZARD(S) IDENTIFICATION

Classified as hazardous according to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272).

### 2.1. Classification of the substance or mixture

Acute Tox. 4; H302, Harmful if swallowed.
STOT RE 2; H373, May cause damage to organs through prolonged or repeated exposure.

### 2.2. Label elements

*Hazard pictogram(s):*



*Signal word:* Warning

*Hazard statement(s):* Harmful if swallowed. (H302)
May cause damage to organs through prolonged or repeated exposure. (H373)

*Precautionary statement(s):*

*General:* If medical advice is needed, have product container or label at hand. (P101)
Keep out of reach of children. (P102)

*Prevention:* Do not breathe vapour/mist. (P260)
Wash hands and exposed skin thoroughly after handling. (P264)
Do not eat, drink or smoke when using this product. (P270)

*Response:* IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. (P301+P312)
Get medical advice/attention if you feel unwell. (P314)

*Storage:* Not applicable.

*Disposal:* Dispose of contents/container in accordance with local regulation.
(P501)

*Hazardous substances:* Ethane-1,2-diol

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

| Chemical name | Common name/synonyms | Identifiers | % w/w | Classification | Note |
|---|---|---|---|---|---|
| Ethane-1,2-diol | | CAS No.: 107-21-1 | 25-40% | Acute Tox. 4, H302<br>STOT RE 2, H373 | |
| Sodium hydroxide | | CAS No.: 1310-73-2 | <0.1% | Met. Corr. 1, H290<br>Skin Corr. 1A, H314 | |

| | | | | | |
|---|---|---|---|---|---|
| Hydrochloric acid | | CAS No.: 7647-01-0 | <0.1% | Skin Corr. 1B, H314<br>STOT SE 3, H335 | |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

-

## SECTION 4: FIRST-AID MEASURES

### 4.1. Description of first aid measures

*General information:* If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).
Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

*Inhalation:* Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

*Skin contact:* Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.
If skin irritation occurs: Get medical advice/attention.

*Eye contact:* If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

*Ingestion:* IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
Rinse mouth.

*Burns:* Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health.
Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Carbon oxides (CO / CO2)

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact a poison centre in order to obtain further advice. See section 1 “Emergency telephone number”.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Avoid direct contact with the product.
Avoid contact during pregnancy and while nursing.
Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

| | |
|---|---|
| *Recommended storage material:* | Always store in containers of the same material as the original container. |
| *Storage conditions:* | No specific requirements. |
| *Incompatible materials:* | Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. |

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

ALBERTA

Ethane-1,2-diol
Short term exposure limit (15 minutes) (mg/m$^3$): (c) 100
Annotations:
3 = Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.

Glycerol
Long term exposure limit (8 hours) (mg/m$^3$): 10
Annotations:
3 = Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.

Occupational Health and Safety Code 2009 Order, Alta Reg 87/2009 (revised in 2018)

---

BRITISH COLUMBIA
Ethane-1,2-diol
Time-Weighted Average Limit (TWA): 10 mg/m$^3$ (partic.)
Short-Term Exposure Limit (STEL) / Ceiling Limit (C): 20 mg/m$^3$ (partic.) ; C 100 mg/m$^3$ (aerosol / aérosol) ; C 50 mg/m$^3$ (vapour / vapeur)
Glycerol
Time-Weighted Average Limit (TWA): 10 mg/m$^3$ (total / totale) ; 3 mg/m$^3$ (respirable)
OHS Regulation Part 5: Chemical Agents and Biological Agents.

---

ONTARIO
Ethane-1,2-diol
Short-Term Exposure Limit (STEL) / Ceiling Limit (C): C 100 mg/m$^3$ (Aerosol only)
Regulation 833 (Control of Exposure to Biological or Chemical Agents) and Ontario Regulation 490/09 (Designated Substances)

---

QUEBEC
Ethane-1,2-diol
Annotations:
RP = A substance which may not be recirculated in accordance with section 108.
Glycerol
Long term exposure limit (8 hours) (mg/m$^3$): 10
Regulation respecting occupational health and safety (Chapter S-2.1, r. 13)

---

SASKATCHEWAN
Ethane-1,2-diol
STEV/Ceiling (mg/m$^3$): 100
Glycerol
Long term exposure limit (8 hours) (mg/m$^3$): 10
Short term exposure limit (15 minutes) (mg/m$^3$): 20
The Occupational Health and Safety Regulations, 2020, Chapter S15.1 Reg 10.

## 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

| | |
|---|---|
| *General recommendations:* | Smoking, drinking and consumption of food is not allowed in the work area. |
| *Exposure scenarios:* | There are no exposure scenarios implemented for this product. |
| *Exposure limits:* | Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above. |
| *Appropriate technical measures:* | The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.<br>Apply standard precautions during use of the product. Avoid inhalation of vapours. |
| *Hygiene measures:* | In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face. |
| *Measures to avoid environmental exposure:* | Keep damming materials near the workplace. If possible, collect spillage during work. |

### Individual protection measures, such as personal protective equipment

| | |
|---|---|
| *Generally:* | Use only protective equipment with a recognized certification mark, e.g. the UL mark. |

*Respiratory Equipment:*

| Type | Class | Colour | Standards | |
|---|---|---|---|---|
| Respiratory protection is not | | | | |

| Type | Class | Colour | Standards | |
|---|---|---|---|---|
| needed in the event of adequate ventilation. | | | | |

*Skin protection:*

| Recommended | Type/Category | Standards | |
|---|---|---|---|
| Dedicated work clothing should be worn. | - | - |  |

*Hand protection:*

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards | |
|---|---|---|---|---|
| Nitrile rubber, Natural rubber | | | |  |

*Eye protection:*

| Type | Standards | |
|---|---|---|
| Safety glasses with side shields. | EN 166 / EN ISO 16321-1 |  |

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

*Physical state:* Liquid

*Colour:* No data available.

*Odour:* No data available.

*Odour threshold (ppm):* No data available.

*pH:* No data available.

*Density (g/cm$^3$):* No data available.

*Kinematic viscosity:* No data available.

*Particle characteristics:* Does not apply to liquids.

### Phase changes

*Melting point/Freezing point (°C):* No data available.

*Softening point/range (°F):* Does not apply to liquids.

*Boiling point (°C):* No data available.

*Vapour pressure:* No data available.

*Relative vapour density:* No data available.

*Decomposition temperature (°C):* No data available.

### Data on fire and explosion hazards

| | |
|---|---|
| *Flash point (°C):* | No data available. |
| *Flammability (°C):* | No data available. |
| *Auto-ignition temperature (°C):* | No data available. |
| *Explosion limits (% v/v):* | No data available. |

**Solubility**

| | |
|---|---|
| *Solubility in water:* | No data available. |
| *n-octanol/water coefficient (LogKow):* | No data available. |
| *Solubility in fat (g/L):* | No data available. |

### 9.2. Other information

| | |
|---|---|
| *Other physical and chemical parameters:* | No data available. |
| *Oxidizing properties:* | No data available. |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity
No data available.

### 10.2. Chemical stability
The product is stable under the conditions, noted in section 7 “Handling and storage”.

### 10.3. Possibility of hazardous reactions
None known.

### 10.4. Conditions to avoid
Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

### 10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

**Acute toxicity**
Harmful if swallowed.

**Skin corrosion/irritation**
Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**
Based on available data, the classification criteria are not met.

**Respiratory sensitisation**
Based on available data, the classification criteria are not met.

**Skin sensitisation**

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Long term effects**

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

**Other information**

None known.

## SECTION 12: ECOLOGICAL INFORMATION

**12.1. Toxicity**

Based on available data, the classification criteria are not met.

**12.2. Persistence and degradability**

Based on available data, the classification criteria are not met.

**12.3. Bioaccumulative potential**

Based on available data, the classification criteria are not met.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**12.6. Other adverse effects**

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste treatment methods**

None of the components are listed

**Specific labelling**

**Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: TRANSPORT INFORMATION

| | 14.1 UN / ID *** | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other information: |
|---|---|---|---|---|---|---|
| TDG | - | - | - | - | - | - |
| IMDG | - | - | - | - | - | - |
| IATA | - | - | - | - | - | - |

* Packing group
** Environmental hazards
*** UN number or ID number

**Additional information**

Not dangerous goods according to TDG, IATA and IMDG.

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available.

## SECTION 15: REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.2. Canadian lists**

*NDSL:* None of the components are listed

*DSL:* Ethane-1,2-diol is listed
Glycerol is listed

**15.4. Restrictions for application**

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

**15.5. Demands for specific education**

No specific requirements.

**Additional information**

Not applicable.

**15.7. Chemical safety assessment**

No

**Sources**

Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

## SECTION 16: OTHER INFORMATION

### Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.
H302, Harmful if swallowed.
H314, Causes severe skin burns and eye damage.
H335, May cause respiratory irritation.
H373, May cause damage to organs through prolonged or repeated exposure.

### The full text of identified uses as mentioned in section 1

None known.

### Abbreviations and acronyms

ANSI = American National Standards Institute
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
DSL = Domestic Substances List
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
HHNOC = Health Hazards Not Otherwise Classified
IARC = International Agency for Research on Cancer
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
LogKow = logarithm of the n-octanol/water coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NDSL = Non-domestic substances list
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PHNOC = Physical Hazards Not Otherwise Classified
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL = A specific concentration limit.
SOR = Statutory Orders and Regulations
STEL = Short-term exposure limits
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TDG = Transportation of Dangerous Goods
TWA = Time weighted average
UN = United Nations
UVCB = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative
WHIMS = Workplace Hazardous Materials Information System

### Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by WHMIS 2022

## The safety data sheet is validated by

Matthew Byrne

*SDS date:* 2026-09-08

## Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product.
Information in this safety data sheet cannot be used as a product specification.
Country-language: CA-en