SAFETY DATA SHEET

# AVITI Dx 2x150 Cartridge CB Freestyle Low Output - Position 11

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

| | |
|---|---|
| *Trade name:* | AVITI Dx 2x150 Cartridge CB Freestyle Low Output - Position 11 |
| *Product no.:* | 820-00044 |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|---|---|
| *Relevant identified uses of the substance or mixture:* | Use as laboratory reagent<br>Restricted to professional and industrial use. |
| *Uses advised against :* | All other uses not recommended above |

### 1.3. Details of the supplier of the safety data sheet

| | |
|---|---|
| *Company and address:* | **Element Biosciences, Inc.**<br>10055 Barnes Canyon Rd. Suite 100<br>92121 San Diego, CA<br>United States<br>(619) 353-0300 |
| *Contact person:* | Element Biosciences, Inc. |
| *E-mail:* | info@elembio.com |
| *Revision:* | 08/09/2026 |
| *SDS Version:* | 1.0 |

### 1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)
General public:
England - Dial 111 to reach NHS 111 (24 hour service)
Scotland - Dial 111 to reach NHS 24 (24 hour service)
Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)
See section 4 “First aid measures”.

## SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

### 2.1. Classification of the substance or mixture

Acute Tox. 4; H302, Harmful if swallowed.
STOT RE 2; H373, May cause damage to organs through prolonged or repeated exposure.

## 2.2. Label elements

*Hazard pictogram(s):*



*Signal word:* Warning

*Hazard statement(s):* Harmful if swallowed. (H302)
May cause damage to organs through prolonged or repeated exposure. (H373)

*Precautionary statement(s):*

*General:* Not applicable.

*Prevention:* Do not breathe vapour/mist. (P260)
Wash hands and exposed skin thoroughly after handling. (P264)

*Response:* Get medical advice/attention if you feel unwell. (P314)

*Storage:* Not applicable.

*Disposal:* Dispose of contents/container in accordance with local regulation.
(P501)

*Hazardous substances:* Ethane-1,2-diol

*Additional labelling:*

## 2.3. Other hazards

*Additional warnings:* This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1. Substances

Not applicable. This product is a mixture.

## 3.2. Mixtures

| Product/substance | Identifiers | % w/w | Classification | Note |
|---|---|---|---|---|
| Ethane-1,2-diol | CAS No.: 107-21-1<br>EC No.:<br>UK-REACH:<br>Index No.: | 25-40% | Acute Tox. 4, H302<br>STOT RE 2, H373 | [1] |
| Glycerol | CAS No.: 56-81-5<br>EC No.:<br>UK-REACH: | 5-10% | | |

| | | | | |
|---|---|---|---|---|
| | Index No.: | | | |
| Hydrochloric acid | CAS No.: 7647-01-0<br>EC No.:<br>UK-REACH:<br>Index No.: | <0.1% | Skin Corr. 1B, H314<br>STOT SE 3, H335 | |
| Sodium hydroxide | CAS No.: 1310-73-2<br>EC No.:<br>UK-REACH:<br>Index No.: | <0.1% | Met. Corr. 1, H290<br>Skin Corr. 1A, H314 | |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

[1] European occupational exposure limit.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

*General information:* In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

*Inhalation:* Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

*Skin contact:* Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.
If skin irritation occurs: Get medical advice/attention.

*Eye contact:* If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

*Ingestion:* IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
Rinse mouth.

*Burns:* Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps,

difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

Call a POISON CENTER/doctor if you feel unwell.

### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health.
Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Carbon oxides (CO / CO2)

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Avoid direct contact with the product.
Avoid contact during pregnancy and while nursing.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

| | |
|---|---|
| *Recommended storage material:* | Always store in containers of the same material as the original container. |
| *Storage conditions:* | No specific requirements. |
| *Incompatible materials:* | Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. |

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Ethane-1,2-diol
Long term exposure limit (8 hours) (ppm): 20(vapour)
Long term exposure limit (8 hours) (mg/m$^3$): 10(particulate)/52(vapour)
Short term exposure limit (15 minutes) (ppm): 40 (vapour)
Short term exposure limit (15 minutes) (mg/m$^3$): 104 (vapour)
Annotations:
Sk = Can be absorbed through the skin and lead to systemic toxicity.

Glycerol
Long term exposure limit (8 hours) (mg/m$^3$): 10

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

**DNEL**

Ethane-1,2-diol

| Duration: | Route of exposure: | DNEL: |
|---|---|---|
| Long term – Systemic effects - General population | Dermal | 53 mg/kg bw/day |
| Long term – Systemic effects - Workers | Dermal | 106 mg/kg bw/day |
| Long term – Local effects - General population | Inhalation | 7 mg/m$^3$ |
| Long term – Local effects - Workers | Inhalation | 35 mg/m$^3$ |

**PNEC**

Ethane-1,2-diol

| Route of exposure: | Duration of Exposure: | PNEC: |
|---|---|---|
| Soil | | 5 mg/kg |

## 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

*General recommendations:* Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:* There are no exposure scenarios implemented for this product.

*Exposure limits:* Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

*Appropriate technical measures:* The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.
Apply standard precautions during use of the product. Avoid inhalation of vapours.

*Hygiene measures:* In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

*Measures to avoid environmental exposure:* Keep damming materials near the workplace. If possible, collect spillage during work.

**Individual protection measures, such as personal protective equipment**

*Generally:* Use only UKCA marked protective equipment.

*Respiratory Equipment:*

| Type | Class | Colour | Standards | |
|---|---|---|---|---|
| Respiratory protection is not needed in the event of adequate ventilation. | | | | |

*Skin protection:*

| Recommended | Type/Category | Standards | |
|---|---|---|---|
| Dedicated work clothing should be worn. | - | - |  |

*Hand protection:*

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards | |
|---|---|---|---|---|
| Nitrile rubber, Natural rubber | | | |  |

*Eye protection:*

| Type | Standards | |
|---|---|---|
| Safety glasses with side shields. | EN 166 / EN ISO 16321-1 |  |

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

| | |
|---|---|
| *Physical state:* | Liquid |
| *Colour:* | No data available. |
| *Odour / Odour threshold:* | No data available. |
| *pH:* | No data available. |
| *Density (g/cm$^3$):* | No data available. |
| *Kinematic viscosity:* | No data available. |
| *Particle characteristics:* | Does not apply to liquids. |

**Phase changes**

| | |
|---|---|
| *Melting point/Freezing point (°C):* | No data available. |
| *Softening point/range (°C):* | Does not apply to liquids. |
| *Boiling point (°C):* | No data available. |
| *Vapour pressure:* | No data available. |
| *Relative vapour density:* | No data available. |
| *Decomposition temperature (°C):* | No data available. |

**Data on fire and explosion hazards**

| | |
|---|---|
| *Flash point (°C):* | No data available. |
| *Flammability (°C):* | No data available. |
| *Auto-ignition temperature (°C):* | No data available. |
| *Lower and upper explosion limit (% v/v):* | No data available. |

**Solubility**

| | |
|---|---|
| *Solubility in water:* | No data available. |
| *n-octanol/water coefficient (LogKow):* | No data available. |
| *Solubility in fat (g/L):* | No data available. |

### 9.2. Other information

| | |
|---|---|
| *Oxidizing properties:* | No data available. |
| *Other physical and chemical parameters:* | No data available. |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity
No data available.

### 10.2. Chemical stability
The product is stable under the conditions, noted in section 7 “Handling and storage”.

### 10.3. Possibility of hazardous reactions
None known.

### 10.4. Conditions to avoid
Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

### 10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

**Acute toxicity**
Harmful if swallowed.

**Skin corrosion/irritation**
Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**
Based on available data, the classification criteria are not met.

**Respiratory sensitisation**
Based on available data, the classification criteria are not met.

**Skin sensitisation**
Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**
Based on available data, the classification criteria are not met.

**Carcinogenicity**
Based on available data, the classification criteria are not met.

**Reproductive toxicity**
Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Symptoms related to the physical, chemical and toxicological characteristics**

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

### 11.2. Information on other hazards

**Endocrine disrupting properties**

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

**Other information**

None known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

### 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

### 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

### 12.7. Other adverse effects

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste treatment methods**

Product is covered by the regulations on hazardous waste.
HP 5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP 6 - Acute toxicity
Dispose of contents/container to an approved waste disposal plant.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

**EWC code**

Not applicable.

**Specific labelling**

**Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: TRANSPORT INFORMATION

| | 14.1 UN / ID *** | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other information: |
|---|---|---|---|---|---|---|
| ADR/ADN/RID | - | - | - | - | - | - |
| IMDG | - | - | - | - | - | - |
| IATA | - | - | - | - | - | - |

* Packing group
** Environmental hazards
*** UN number or ID number

**Additional information**

Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|---|---|
| *Restrictions for application:* | Restricted to professional users.<br>People under the age of 18 shall not be exposed to this product.<br>Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered. |
| *Demands for specific education:* | No specific requirements. |
| *Control of Major Accident Hazards (COMAH) - Categories / dangerous* | Not applicable. |

| | |
|---|---|
| *substances:* | |
| *Additional information:* | Not applicable. |
| *Sources:* | The Management of Health and Safety at Work Regulations 1999.<br>The Health and Safety at Work etc. Act 1974 Regulations 2013.<br>Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.<br>Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.<br>Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law. |

### 15.2. Chemical safety assessment

No

## SECTION 16: OTHER INFORMATION

### Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.
H302, Harmful if swallowed.
H314, Causes severe skin burns and eye damage.
H335, May cause respiratory irritation.
H373, May cause damage to organs through prolonged or repeated exposure.

### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EC = Effective concentration
ED = Effective dose
EINECS = European Inventory of Existing Commercial chemical Substances
EL = Effective Loading
ErC = Concentration associated with x% growth rate response
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System

EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
HP = Hazardous Property code
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IC = X maximum inhibitory concentration
IMDG = International Maritime Dangerous Goods
LC = Lethal concentration
LCLo = Value is the lowest concentration of a material in air reported to have caused the death of animals or humans
LD = Lethal dose
LOAEC = Lowest Observed Adverse Effect Concentration
LOAEL = Lowest Observed Adverse Effect Level
LOEC = Lowest Observed Effect Concentration
LogKow = logarithm of the n-octanol/water coefficient
LL = Lethal Loading
M = For multiplication factor
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NOAEC = No Observed Adverse Effect Concentration
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
NOELR = No Observable Effect Loading Rate
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVCB = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

## Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## The safety data sheet is validated by

Matthew Byrne

## Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product.
Information in this safety data sheet cannot be used as a product specification.
Country-language: GB-en